Clinical and Experimental Pharmacology and Physiology (1992) **19**, 849–862

AUTHOR INDEX

Abe, H., see Kawano, Y.
Abe, H., see Murakami, K.
Abrahamsson, T., see Sjoquist, P-O.
Adachi, T., see Ooiwa, H.
Adams, M. A., see Head, G. A.
Agrotis, A., see Saltis, J.
Alias, A. K., see Nabishah, B. M.
Anderson, A., see Morgan, T.
Anderson, K., see Woodcock, E. A.
Anfossi, G., Massucco, P., Mularoni, E., Cavalot, F., Burzacca, S., Mattiello, L. and Trovati, M. Studies on the effect of dopamine on human platelet response 613
Angus, J. A., Jennings, G. L. and Sudhir, K. Enhanced contraction to noradrenaline, serotonin and nerve stimulation but normal endotheluim-derived relaxing factor response in skin small arteries in human primary hypertension (Suppl. 19) 39
Angus, J. A. Symbiotic relationship between a research institute and a pharmaceutical company: The Baker Institute/Glaxo Australia story 67
Arai, H., see Kita, T.
Arakawa, K., see Nakashima, Y.
Arakawa, K., see Matsusaki, M.
Armstrong, J. M. and Hicks, P. E. An industrial approach to drug discovery: A pharmacologist's eyeview 51
Ashida, T., see Murakami, K.
Ashida, T., see Kawano, Y.
Atwell, R., see Hoey, A.
Aubert, J-F., Walker, P., Grouzmann, E., Nussberger, J., Brunner, H. R. and Waeber, B. Inhibitory effect of neuropeptide Y on stimulated renin secretion of awake rats 223
Avery, B., see Hagemann, A.
Bachmann, A. W., see Gordon, R. D.
Bachmann, A. W., Gordon, R. D. and Ballantine, D. M. Evidence for presynaptic β-adrenoceptor stimulation 24 hours after a 6 hour adrenaline infusion 311
Bachmann, A. W., see Tunny, T. J.
Ball, L., see Williams, R. R.
Ballantine, D. M., see Bachmann, A. W.
Ballantine, D. M., see Gordon, R. D.
Ban, T., see Hamamoto, T.
Barrès, C., see Julien, C.
Barrès, C., see Su, D-F.
Beard, T. C., Eickhoff, R., Mejglo, Z. A., Jones, M., Bennett, S. A. and Dwyer, T. Population-based survey of human sodium and potassium excretion 327
Beil, W., Greite, C. and Sewing, K-F. Interaction of the non-steroidal anti-inflammatory drug flufenamic acid with gastric acid secretion and H^+/K^+-ATPase 555
Beilin, L. J., see Chu, Z.
Ben-Ezra, J., see Lev-Ran, A.
Bennett, S. A., see Beard, T. C.
Bobik, A., see Saltis, J.
Bobik, A., see Oddie, C. J.
Boyd, G. W., see Yong, A. C.
Brown, M. A., see Lowe, S. A.
Brown, L., see Hoey, A.
Brunner, H. R., see Aubert, J-F.

Burrell, L. M., see Johnston, C. I.
Burzacca, S., see Anfossi, G.
Calafiore, P., see Jones, E. F.
Campbell, J. H., Fenessy, P. and Campbell, G. R. Effect of perindopril on the development of atherosclerosis in the cholesterol-fed rabbit (Suppl. 19) 13
Campbell, G. R., see Campbell, J. H.
Carney, S. L. Comparison of parathyroid hormone and calcitonin on rat renal calcium and magnesium transport 433
Cavalot, F., see Anfossi, G.
Cazzolo, M., see Matera, M. G.
Cerutti, C., see Su, D-F.
Chai, S. Y., Perich, R., Jackson, B., Mendelsohn, F. A. O. and Johnston, C. I. Acute and chronic effects of angiotensin-converting enzyme inhibitors on tissue angiotensin-converting enzyme (Suppl. 19) 7
Chalmers, J., see Pilowsky, P.
Cheah, L. S., see Gwee, M. C. E.
Chen, S-J., see Wu, C-C.
Chen, C. F., Chien, C. T. and Wu, M. S. Direct renal effects of endothelin in chronic hypoxic spontaneously hypertensive rats 809
Chen, J. S., see Gorman, A. J.
Chien, C. T., see Chen, C. F.
Chu, Z. M., Yin, K. and Beilin, L. J. Fish oil feeding selectively attenuates contractile responses to noradrenaline and electrical stimulation in the perfused mesenteric resistance vessels of spontaneously hypertensive rats 177
Constantino, M., see Matera, M. G.
Conway, E. L., see Louis, W. J.
Cooper, M. E., Rumble, J. R., Gin T. and Lim-Joon, T. Diabetic renal microvascular disease: The role of hypertension and ACE inhibitors (Suppl. 19) 23
Cooper, M. E., see Jandeleit, K.
Copp, F. C., see Jackson, W. R.
Courneya, C-A., Korner, P. I., Oliver, J. R. and Woods, R. L. Afferent control of vasopressin and renin release during haemorrhage in normal and autonomically blocked rats 745
Cowan, A. Buprenorphine and gastrointestinal transit in rats: Effect of naloxone on the biphasic dose-response curve 47
Cruz, C., see Pedraza-Chaverri, J.
Cullen, J. D., see Jackson, W. R.
Dankó, M., see Nánási, P. P.
Dantzer, V., see Hagemann, A.
Dart, A. M., Meredith, I. T. and Jennings, G. L. Effects of 4 weeks endurance training on cardiac left ventricular structure and function 777
Dazai, Y., see Iwata, T.
De Santis, D., see Matera, M. G.
Denborough, M. A., see Foster, P. S.
Di Nicolantonio, R., Imai, T., Ikeda, K., Sawamura, M., Yamori, Y. and Murakami, K. Polymerase chain reaction-based DNA fingerprinting in the spontaneously hypertensive rat: Potential source of cDNA library probes 358
Dilley, R. J., see Oddie, C. J.
Drummer, O. H., see Louis, W. J.
Du, Z-Y., Dusting, G. J. and Woodman, O. L. Inhibition of nitric oxide synthase specifically enhances adrenergic vasoconstriction in rabbits 523
Dusting, G. J., see Du, Z-Y.
Dusting, G. J., see Li, M.
Dwyer, T., see Beard, T. C.
Eguchi, S., see Kanno, K.
Eickhoff, R., see Beard, T. C.

Emori, T., see Kanno, K.
Endo, J., see Mano, M.
Evans, R. G., Hayes, I. P. and Ludbrook, J. Does the haemodynamic response to acute central hypovolaemia depend on the rate of fall of cardiac output? 657
Fabiani, M. E., Kabo, P. and Story, D. F. Prejunctional actions of tacrine on autonomic neuroeffector transmission in rabbit isolated pulmonary artery and rat isolated atria 631
Falckh, P. H., Harkin, L. A. and Head, R. J. Nerve growth factor mRNA content parallels altered sympathetic innervation in the spontaneously hypertensive rat 541
Farish, S., see Silagy, C. A.
Federenko, Y. F., see Zorbas, Y. G.
Fernley, R., see Trinder, D.
Fenessy, P., see Campbell, J. H.
Field, M. J., see Pollock, C. A.
Finn, W. L., see Klemm, S. A.
Finn, W. L., see Tunny, T. J.
Finn, W. L., Gordon, R. D., Seneviratne, B. I., Tunny, T. J. and Klemm, S. A. Subpressor calcium infusion increases isovolumic left ventricular relaxation time and atrial natriuretic peptide in humans 307
Finn, W. L., see Stowasser, M.
Foster, S., see Gorman, A. J.
Foster, P. S., Hopkinson, K. C. and Denborough, M. A. Propofol anaesthesia in malignant hyperpyrexia susceptible swine 183
Friedman, D. B., see Secher, N. H.
Gautam, R. and Pereira, B. M. J. The effect of ovine prolactin on the epididymal sialic acid concentration in male rats 495
Gavin, J., see Maxwell, L.
Gin, T., see Cooper, M. E.
Gordon, R. D., see Klemm, S. A.
Gordon, R. D., see Stokes, G. S.
Gordon, R. D., see Bachmann, A. W.
Gordon, R. D., see Stowasser, M.
Gordon, R. D., see Tunny, T. J.
Gordon, R. D., see Finn, W. L.
Gordon, R. D., Ballantine, D. M. and Bachmann, A. W. Effects of repeated doses of pseudoephedrine on blood pressure and plasma catecholamines in normal subjects and in patients with phaeochromocytoma 287
Gorman, A. J., Chen, J-S., Foster, S., Snyder, R. G. and Iams, S. G. Intracoronary PGE_2 and veratrine inhibits renin release in conscious dogs via chemosensitive ventricular afferents 645
Goto, H., see Hoshino, H.
Goto, Y., see Ishikawa, S.
Goto, A., see Yamada, K.
Grace, J. P. AMRAD: The first 4 years 63
Griete, C., see Beil, W.
Grouzmann, E., see Aubert, J-F.
Grunstein, H., see Stokes, G. S.
Gutierrez, K., see Ikeda, K.
Guyett, F. J., see Jackson, W. R.
Gwee, M. C. E. and Cheah, L. S. Ranitidine inhibits adrenergic transmission in the rat isolated anococcygeus muscle 411
Hagemann, A., Neilson, A. H., Dantzer, V., Avery, B. and Poulsen, K. Measurement and identification of prorenin and renin in ovarian follicular fluid from cattle and pig 267
Hamamoto, T., Ichiyama, M., Takahashi, Y. and Ban, T. Modelling of frequency-dependent effects of lignocaine homologues on the maximum upstroke velocity of action potentials in guinea-pig papillary muscles 457
Hamet, P. Abnormal *hsp70* gene expression: Its potential key role in metabolic defects in hypertension (Suppl. 20) 53
Haneda, N., see Mori, C.

Hara, S., see Kita, T.
Harada, Y., see Mori, C.
Harkin, L. A., see Falckh, P. H.
Harrap, S. B. A developmental genetic mechanism involving angiotensin in spontaneously hypertensive rats (Suppl. 19) 19
Harrap, S. B., see Jones, E. F.
Harris, P. M. Regulation of proximal tubule function by angiotensin 213
Hasegawa, T., see Takagi, K.
Hasin, Y., Kneen, M. M. and Nayler, W. G. Relationship between ATP resynthesis and calcium accumulation in the reperfused rat heart 79
Hasstedt, S. J., see Williams, R. R.
Hattori, K., see Yamauchi, M.
Hayes, I. P., see Evans, R. G.
Head, R. J., see Falckh, P. H.
Head, R. J., see Yong, E. M.
Head, G. A. and Adams, M. A. Characterization of the baroreceptor heart rate reflex during development in spontaneously hypertensive rats 587
Hertel, R. F. Potassium channel activation improves blood flow pattern of conscious rats in cutaneous microcirculation 243
Hicks, P. E., see Armstrong, J. M.
Higaki, J., see Higashimori, K.
Higashimori, K., Higaki, J., Miki, T., Kamitani, A., Mikami, H., Kumahara, Y. and Ogihara, T. Analysis of the apolipoprotein B3' hypervariable region in patients with essential hypertension (Suppl. 20) 21
Hirakawa, S., see Koshiji, M.
Hirakawa, S., see Minatoguchi, S.
Hiramori, K., see Kawamura, M.
Hirata, Y., see Kanno, K.
Hirata, Y., see Ishimitsu, T.
Hirst, C. A. Government initiatives in the development of a pharmacetical industry in Australia 57
Hiwada, K., see Okura, T.
Hiwada, K., see Yasuda, N.
Hiwada, K. see Iwata, T.
Hodgson, W. C., see Tammesild, P. J.
Hodgson, W. C., Sikorski, B. W. and King, R. G. Cardiovascular sensitivity changes to eicosanoids in rats with experimentally induced diabetes mellitus 9
Hoey, A., Brown, L., Marchant, C., Atwell, R. and Sernia, C. Cardiac β-adrenoreceptor changes in experimental hyperthyroidism in dogs 761
Honda, M., see Ishikawa, S.
Hopkins, P. N., see Williams, R. R.
Hopkinson, K. C., see Foster, P. S.
Horie, R., see Mano, M.
Horie, R., see Yamori, Y.
Horio, T., Kohno, M., and Takeda, T. Effects of arginine vasopressin, angiotensin II and endothelin-1 on the release of brain natriuretic peptide *in vivo* and *in vitro* 575
Horio, T., see Kohno, M.
Hornych, A., see Klemm, S. A.
Hoshino, H., Sugiyama, S., Ohara, A., Goto, H., Tsukamoto, Y. and Ozawa, T. Mechanism and prevention of chronic colonic inflammation with trinitrobenzene sulfonic acid in rats 717
Howes, L. G., see Louis, W. J.
Huang, W-C., Wu, J-N. and Jin, J-S. Angiotensin-converting enzyme inhibition causes deterioration in renal function in one-kidney Goldblatt hypertensive rats with and without renal arterial stenosis 695
Huggard, P. R., see West, M. J.
Hui, S-C. G., Wang, Z., Zhang, H. and Ogle, C. W. Arachidonic acid metabolism in nicotine-treated rats and nicotine-incubated rabbit aortic smooth muscle cells 689

Hunt, S. C., see Williams, R. R.
Hwang, D. L., see Lev-Ran, A.
Iams, S. G., see Gorman, A. J.
Ichiyama, M., see Hamamoto, T.
Ideishi, M., see Matsusaki, M.
Iimura, O., see Ooiwa, H.
Ikeda, M., see Matsusaki, M.
Ikeda, K., see Yamori, Y.
Ikeda, K., see Di Nicolantonio, R.
Ikeda, K., Gutierrez, O. G. and Yamori, Y. Dietary N^G-nitro-L-arginine induces sustained hypertension in normotensive Wistar-Kyoto rats 583
Ikeda, M., see Nakashima, Y.
Imai, T., see Kanno, K.
Imai, T., see Di Nicolantonio, R.
Imai, Y., see Koshiji, M.
Imamura, Y., see Iwata, T.
Imanishi, M., see Kawamura, M.
Imanishi, M., see Kawano, Y.
Imanishi, M., see Murakami, K.
Imura, H., see Mano, M.
Inariba, H., Kanayama, Y., Takaori, K., Negoro, N., Inoue, T. and Takeda, T. Increased Na^+/H^+ exchange activity in vascular smooth muscle cells of spontaneously hypertensive rats and possible involvement of protein kinase C 171
Inoue, T., see Inariba, H.
Ishii, K., see Kita, T.
Ishii, M., see Yamada, K.
Ishii, M., see Ishimitsu, T.
Ishikawa, S., Honda, M., Yamada, S., Goto, Y., Morioka, S., Ishinaga, Y., Murakami, Y., Masumara, S. and Moriyama, K. Different biventricular remodelling of myosin and collagen in pulmonary hypertension 723
Ishimitsu, T., Hirata, Y., Matsuoka, H., Ishii, M., Sugimoto, T., Kangawa, K. and Matsuo, H. *In vivo* and *in vitro* effects of atrial natriuretic peptide on renin release 711
Ishimoto, R., see Ooiwa, H.
Ishinaga, Y., see Ishikawa, S.
Ismail, Y., see Leong, L. L. L.
Ito, H., see Koshiji, M.
Ito, K., see Kawamura, M.
Ito, H., see Minatoguchi, S.
Iwamoto, T., see Ooiwa, H.
Iwase, M., see Koide, M.
Iwata, T., Dazai, Y., Kitami, Y., Muneta, S., Imamura, Y., Murakami, E. and Hiwada, K. Response of plasma renin-angiotensin sytem to a single captopril administration in patients receiving long-term treatment with captopril 705
Iwata, T., see Okura, T.
Jackson, B., see Perich, R.
Jackson, B., see Jandeleit, K.
Jackson, W. R., Copp, F. C., Cullen, J. D., Guyett, F. J., Rae, I. D., Robinson, A. J., Pothoulackis, H., Serelis, A. K. and Wong, M. Chemical design of peripherally acting compounds 17
Jackson, B., see Jandeleit, K.
Jackson, B., see Johnston, C. I.
Jackson, B., see Chai, S. Y.
Jackson, B., see Louis, W. J.
Jacobsen, J., see Secher, N. H.
Jandeleit, K., see Johnston, C. I.
Jandeleit, K., Rumble, J., Jackson, B. and Cooper, M. E. Mesenteric vascular angiotensin-converting enzyme is increased in experimental diabetes mellitus 343

Jandeleit, K., Perich, R., Jackson, B. and Johnston, C. I. Mesenteric resistance and brain microvascular angiotensin-converting enzyme in the spontaneously hypertensive rat 348
Jandhyala, B. S., see Shah, J.
Jennings, G. L., see Dart, A. M.
Jennings, G. L., see Angus, J. A.
Jin, J-S., see Huang, W-C.
Johansson, M. H., see Sjoquist, P-O.
Johnston, C. I., see Jandeleit, K.
Johnston, H., see Stokes, G. S.
Johnston, G. A. R. $GABA_A$ agonists as targets for drug development 73
Johnston, C. I., Burrell, L. M., Perich, R., Jandeleit, K. and Jackson, B. The tissue renin-angiotensin system and its functional role (Suppl. 19) 1
Johnston, C. I., see Murohara, Y.
Johnston, C. I., see Trinder, D.
Johnston, C. I., see Chai, S. Y.
Johnston, C. I., see Perich, R.
Jones, E. F., Harrap, S. B., Calafiore, P. and Tonkin, A. M. Development and validation of echocardiographic methods for estimating left ventricular mass in rats 361
Jones, M., see Beard, T. C.
Julien, C., Sacquet, J., Kandza, P., Su, D-F., Vincent, M. and Barres, C. Cardiovascular habituation to emotional stress in Lyon hypertensive rats 187
Julien, C., see Su, D-F.
Kabo, P., see Fabiani, M. E.
Kadir, B. A., see Nabishah, B. M.
Kakami, M., see Koshiji, M.
Kamitani, A., see Higashimori, K.
Kanagasabathy, A., see Kuruvilla, A.
Kanayama, Y., see Inariba, H.
Kandza, P., see Julien, C.
Kangawa, K., see Ishimitsu, T.
Kanno, K., Hirata, Y., Emori, T., Ohta, K., Eguchi, S., Imai, T. and Marumo, F. L-Arginine infusion induces hypotension and diuresis/natriuresis with concomitant increased urinary excretion of nitrate/nitrite and cyclic GMP in humans 619
Kasai, T., see Tanaka, H.
Kawamura, M., see Murakami, K.
Kawamura, M., Imanishi, M., Matsushima, Y., Ito, K. and Hiramori, K. Circulating angiotensin II levels under repeated administration of lisinopril in normal subjects 547
Kawamura, M., see Kawano, Y.
Kawano, Y., see Murakami, K.
Kawano, Y., Yoshida, K., Kawamura, M., Yoshimi, H., Ashida, T., Abe, H., Imanishi, M., Kimura, G., Kojima, S., Kuramochi, M. and Omae, T. Sodium and noradrenaline in cerebrospinal fluid and blood in salt-sensitive and non-salt-sensitive essential hypertension 235
Kawasaki, H. Effects of chronic administration of antihypertensive drugs on vasodilation mediated by calcitonin gene-related peptide-containing vasodilator nerves in spontaneously hypertensive rats 569
Kelly, J. M., see Trinder, D.
Khalid, B. A. K., see Nabishah, B. M.
Khalid B. A. K., see Merican Z.
Kimura, G., see Murakami, K.
Kimura, K., see Tsuda, K.
Kimura, T., see Takeuchi, A.
Kimura, G., see Kawano, Y.
King, R. G., see Tammesild, P. J.
King, R. G., see Hodgson, W. C.
Kita, T., Yokode, M., Ishii, K., Kume, N., Nagano, Y., Arai, H., Otani, H., Ueda, Y. and Hara, S. The role of oxidized lipoproteins in the pathogenesis of atherosclerosis (Suppl. 20) 37

Kitami, Y., see Iwata, T.
Kitami, Y., see Okura, T.
Klemm, S. A., see Stowasser, M.
Klemm, S. A., see Finn, W. L.
Klemm, S. A., Gordon, R. D., Tunny, T. J., Finn, W. L. and Hornych, A. Prostaglandins and systolic blood pressure, but not angiotensin II, independently affect atrial natriuretic peptide levels in humans 323
Klemm, S. A., see Tunny, T. J.
Kneen, M. M., see Hasin, Y.
Kobayashi, Y., see Yamauchi, M.
Kobayashi, K. see Tanaka, H.
Koga, M., see Matsusaki, M.
Kohno, M., Horio, T., Yokokawa, K., Murakawa, K., Yasunari, K., Kurihara, N. and Takeda, T. Atrial and brain natriuretic peptides: Secretion during exercise in patients with essential hypertension and modulation by acute angiotensin-converting enzyme inhibition 193
Kohno, M., see Horio, T.
Koide, M., see Yasuda, N.
Koide, M., Iwase, M., Yokota, M. and Tuan, R. S. Experimental studies on cardiovascular disorders and cellular Ca handling in shell-less chick embryos (Suppl. 20) 29
Kojima, S-I., see Murakami, K.
Kojima, S-I., see Yasuda, N.
Kojima, S., see Kawano, Y.
Kondoh, Y., see Matsumoto, K.
Korner, P. I., see Courneya, C-A.
Koshiji, M., Ito, H., Minatoguchi, S., Watanabe, H., Imai, Y., Kakami, M. and Hirakawa, S. A comparison of guanfacine, bunozosin, atenolol and nadolol on blood pressure and plasma noradrenaline responses to cold pressor testing 481
Koshiji, M., see Minatoguchi, S.
Krek, A. L., see Stowasser, M.
Krozowski, Z. S., see Smith, R. E.
Krum, H., see Louis, W. J.
Kumahara, Y., see Higashimori, K.
Kume, N., see Kita, T.
Kuramochi, M., see Kawano, Y.
Kuramochi, M., see Murakami, K.
Kurihara, N., see Kohno, M.
Kuruvilla, A., Peedicayil, J., Srikrishna, G., Kuruvilla, K. and Kanagasabathy, A. S. A study of serum prolactin levels in schizophrenia: Comparison of males and females 603
Kuruvilla, K., see Kuruvilla, A.
Lalouel, J-M., see Williams, R. R.
Lam, W., see Louis, W. J.
Land, S., see Woodcock, E. A.
Landsér, F. J., see Wouters, E. F. M.
Ledingham, J. M. and Simpson, F. O. Effect of enalapril on body sodium and handling of a sodium chloride load in hypertensive and normotensive rats 373
Lees, K. R., Squire, I. B. and Reid, J. L. The clinical pharmacology of ACE inhibitors: Evidence for clinically relevant differences? (Suppl. 19) 49
Leitch, I. M., Rawlow, A. and Rechtman, M. P. Pharmacological evaluation of two novel analogues of mian-serin: 2-*N*-carboxamidinonormianserin (FCC5) and 2-*N*-carboxamidonormianserin (FCC13) 25
Leong, L. L. L., Sturm, M. J., Ismail, Y., Stephens, C. J. and Taylor, R. R. Plasma phospholipase A_2 activity in clinical acute myocardial infarction 113
Lev-Ran, A., Hwang, D. L., Ben-Ezra, J. and Williams, L. E. Origin of urinary epidermal growth factor in humans: Excretion of endogenous EGF and infused [^{131}I]-human EGF and kidney histochemistry 667
Levy, B. I. and Safar, M. E. Remodelling of the vascular system in response to hypertension and drug therapy (Suppl. 19) 33
Levy, B. I., see Safar, M. E.

Li, C. G., see Rand, M. J.
Li, M., Dusting, G. J. and Whitworth, J. A. Inhibition of NO synthesis has an additive effect on hypertension induced by ACTH in conscious rats 675
Lim-Joon, T., see Cooper, M. E.
Llewellyn-Smith, I., see Pilowsky, P.
Louis, W. J., Conway, E. L., Krum, H., Workman, B., Drummer, O. H., Lam, W., Phillips, P., Howes, L. G. and Jackson, B. Comparison of the pharmacokinetics and pharmacodynamics of perindopril, cilazapril and enalapril (Suppl. 19) 55
Lowe, S. A., Macdonald, G. J. and Brown, M. A. Atrial natriuretic peptide in pregnancy: Response to oral sodium supplementation 607
Ludbrook, J., see Evans, R. G.
Macdonald, G. J., see Lowe, S. A.
Maciel, A. H., see Pedraza-Chaverri, J.
Majewski, H., see Minatoguchi, S.
Mann, S. Inaccuracy of electronic sphygmomanometers 304
Mano, M. T., see Yong, E. M.
Mano, M., see Mtabaji, J. P.
Mano, M., Sugawara, A., Nara, Y., Nakao, K., Horie, R., Endo, J., Imura, H. and Yamori, Y. Potassium accelerates urinary sodium excretion during salt loading without stimulating atrial natriuretic polypeptide secretion 795
Marchant, C., see Hoey, A.
Martin, G., Sewell, R. B., Yeomans, N. D. and Smallwood, R. A. Ageing has no effect on the volume density of hepatocytes, reticulo-endothelial cells or the extracellular space in livers of female Sprague-Dawley rats (Short Comm.) 537
Marumo, F., see Kanno, K.
Marwood, J. F., see Stokes, G. S.
Masao, K., see Minatoguchi, S.
Massucco, P., see Anfossi, G.
Masumara, S., see Ishikawa, S.
Masuyama, Y., see Tsuda, K.
Masuyama, Y., see Tsuda, K.
Matera, M. G., Cazzolo, M., Constantino, M., De Santis, D. and Rossi, F. Responsiveness and sensitivity to cholinergic agonists and antagonists in bovine isolated bronchial muscle 627
Mather, L. E., see Reid, M. A.
Matsumoto, K., Taki, F., Kondoh, Y., Taniguchi, H. and Takagi, K. Platelet-activating factor in broncho-alveolar lavage fluid of patients with adult respiratory distress syndrome 509
Matsuo, H., see Ishimitsu, T.
Matsuoka, H., see Ishimitsu, T.
Matsuoka, M., see Yamada, K.
Matsusaki, M., Ikeda, M., Tashiro, E., Koga, M., Miura, S., Ideishi, M., Tanaka, H., Shindo, M. and Arakawa, K. Influence of workload on the antihypertensive effect of exercise 471
Matsushima, Y., see Kawamura, M.
Mattiello, L., see Anfossi, G.
Matzen, S., see Secher, N. H.
Maxwell, L., Pratt, K. and Gavin, J. Endothelin-3-induced microvascular incompetence and mitochondrial damage in rat myocardium 683
McGrath, B. P., see Silagy, C. A.
McGrath, B. P., see Silagy, C. A.
McGrath, B. P., see Wang, Z-Q.
McLean, C. F., see Reid, M. A.
McNeil, J. J., see Silagy, C. A.
McNeil, J. J., see Silagy, C. A.
McPherson, G. A. Assessing vascular reactivity of arteries in the small vessel myograph 815
Mejglo, Z. A., see Beard, T. C.

Mendelsohn, F. A. O., see Chai, S. Y.
Mercer, W. R., see Smith, R. E.
Meredith, I. T., see Dart, A. M.
Merican, Z., Sukumaran, S., Raj, V. L., Rajikin, M. H. and Khalid, B. A. K. The effects of thyroxine treatment on slow- and fast-contracting skeletal muscle contractions of the cat and their cyclic AMP level 843
Miayamoto, K., see Takagi, K.
Mikami, H., see Higashimori, K.
Mikami, H., see Yasuda, N.
Miki, T., see Higashimori, K.
Minatoguchi, S., Ito, H., Koshiji, M., Masao, K., Hirakawa, S. and Majewski, H. Enalapril decreases plasma noradrenaline levels during the cold pressor test in human hypertensives 279
Minatoguchi, S., see Koshiji, M.
Minson, J., see Pilowsky, P.
Mishra, Y. and Ramzan, I. Influence of cimetidine on gallamine-induced neuromuscular paralysis in rats 803
Misso, N. L. A. and Thompson, P. J. Xanthines inhibit human platelet aggregation induced by platelet-activating factor (Short Comm.) 599
Miura, S., see Matsusaki, M.
Miura, T., see Ooiwa, H.
Miyata, M., see Takeshita, M.
Mizushima, S., see Yamori, Y.
Mizushima, S., see Mtabaji, J. P.
Monaghan, J. C., see Stokes, G. S.
Monaghan, J. C., see Stokes, G. S.
Mooser, V., see Trinder, D.
Morat, P. B., see Nabishah, B. M.
Morgan, T. and Anderson, A. Clinical efficacy of perindopril in hypertension (Suppl. 19) 61
Morgan, T., see Zhang, Y.
Mori, C., Watanabe, K., Haneda, N., Harada, Y., Zhong, Z. W. and Nishio, T. Quantitative analysis of the tracking of blood pressure and relative factors in childhood: Shimane Heart Study (Suppl. 20) 69
Moriguchi, Y., see Mtabaji, J. P.
Morioka, S., see Ishikawa, S.
Moritz, K. M. and Wintour, E. M. The effect of graded haemorrhage on erythropoietin production in the immature ovine foetus 503
Moriyama, K., see Ishikawa, S.
Mtabaji, J. P., Moriguchi, Y., Nara, Y., Mizushima, S., Mano, M. and Yamori, Y. Ethnic differences in salt sensitivity: Genetic or environmental factors? (Suppl. 20) 65
Mularoni, E., see Anfossi, G.
Muneta, S., see Iwata, T.
Murakami, K., Kojima, S-I., Kimura, G., Sanai, T., Yoshida, K., Imanishi, M., Abe, H., Kawamura, M., Kawano, Y., Ashida, T., Yoshimi, H., Kuramochi, M. and Omae, T. The association between salt sensitivity of blood pressure and family history of hypertension (Suppl. 20) 61
Murakami, E., see Iwata, T.
Murakami, K., see Di Nicolantonio, R.
Murakami, S., see Yamori, Y.
Murakami, Y., see Ishikawa, S.
Murakawa, K., see Kohno, M.
Murohara, Y. and Johnston, C. I. Effect of neutral endopeptidase inhibitor in rats with congestive heart failure 380
Nabika, T., see Yamori, Y.
Nabishah, B. M., Morat, P. B., Alias, A. K., Kadir, B. A. and Khalid, B. A. K. Cyclic adenosine 3′,5′-monophosphate content and bronchial smooth muscle contractility of hyper- and hypothyroid lungs 839
Nadai, M., see Takagi, K.
Naexu, K. A., see Zorbas, Y. G.
Nagano, Y., see Kita, T.
Nakao, K., see Mano, M.

Nakase, A., see Yamauchi, M.
Nakashima, Y., Nii, T., Tashiro, E., Ikeda, M. and Arakawa, K. Cardiac effects of local angiotensin-converting enzyme inhibition in hypertensive patients 425
Nánási, P. P. and Dankó, M. Repetitive electrical activity of the muscle membrane induced in chloride-free medium 127
Nara, Y., see Yasuda, N.
Nara, Y., see Mano, M.
Nara, Y., see Yamori, Y.
Nara, Y., see Mtabaji, J. P.
Nayler, W. G., see Hasin, Y.
Negoro, N., see Inariba, H.
Neilson, A. H., see Hagemann, A.
Nii, T., see Nakashima, Y.
Nishio, T., see Mori, C.
Nishio, I., see Tsuda, K.
Nishio, I., see Tsuda, K.
Nussberger, J., see Aubert, J-F.
Obeyesekere, V., see Smith, R. E.
Obi Okoro, E., see Stokes, G. S.
Oddie, C. J., Dilley, R. J. and Bobik, A. Long-term angiotensin II antagonism in spontaneously hypertensive rats: Effects on blood pressure and cardiovascular amplifiers 392
Ogawa, T., see Ooiwa, H.
Ogihara, T., see Higashimori, K.
Ogle, C. W., see Hui, S-C. G.
Ohara, A., see Hoshino, H.
Ohta, K., see Kanno, K.
Okura, T., Kitami, Y., Wakamiya, R., Iwata, T. and Hiwada, K. Renin gene restriction fragment length polymorphisms in a Japanese family with a high incidence of essential hypertension (Suppl. 20) 17
Oliver, J. R., see Courneya, C-A.
Omae, T., see Murakami, K.
Omae, T., see Kawano, Y.
Omari, T. I. and Sparrow, M. P. Epithelial disruption by proteases augments the responsiveness of porcine bronchial segments 785
Ooiwa, H., Miura, T., Iwamoto, T., Ogawa, T., Ishimoto, R., Adachi, T. and Iimura, O. Superoxide dismutase attenuated post-ischaemic contractile dysfunction in a myocardial xanthine oxidase deficient species 119
Otani, H., see Kita, T.
Ozawa, T., see Hoshino, H.
Paultre, C., see Su, D-F.
Pedraza-Chaverri, J., Maciel, A. H., Cruz, C. and Peña, J. C. Captopril magnifies the increase in angiotensin I-converting enzyme in rats with aminonucleoside nephrosis 439
Peedicayil, J., see Kuruvilla, A.
Peña, J. C., see Pedraza-Chaverri, J.
Pereira, B. M. J., see Gautam, R.
Perich, R., see Johnston, C. I.
Perich, R., Jackson, B. and Johnston, C. I. Variation in angiotensin-converting enzyme inhibitor affinity at two binding sites on rat pulmonary ACE: Influence on bradykinin hydrolysis 353
Perich, R., see Jandeleit, K.
Perich, R., see Chai, S. Y.
Phillips, P., see Louis, W. J.
Phillips, P. A., see Trinder, D.
Pilowsky, P., Wakefield, B., Minson, J., Llewellyn-Smith, I. and Chalmers, J. Axonal projections from respiratory centres towards the rostral ventrolateral medulla in the rat 335
Polko, A. H., see Wouters, E. F. M.
Pollock, C. A. and Field, M. J. Renal handling of endogenous lithium in experimental diabetes mellitus in the rat 201

Pothoulackis, H., see Jackson, W. R.
Poulsen, K., see Hagemann, A.
Pratt, K., see Maxwell, L.
Provencher, P. H., see Smith, R. E.
Rae, I. D., see Jackson, W. R.
Raj, V. L., see Merican Z.
Rajikin, M. H., see Merican Z.
Ramzan, I., see Mishra, Y.
Rand, M. J. and Li, C. G. Effects of argininosuccinic acid on nitric oxide-mediated relaxations in rat aorta and anococcygeus muscle 331
Rand, M. J. Nitrergic transmission: Nitric oxide as a mediator of non-adrenergic, non-cholinergic neuro-effector transmission (Review) 147
Rand, M. J., see Reid, J. J.
Rand, M. J. and Li, C. G. Activation of noradrenergic and nitrergic mechanisms in the rat anococcygeus muscle by nicotine 103
Rawlow, A., see Leitch, I. M.
Read, G., see Zhang, Y.
Rechtman, M. P. Sensory nerves in the airways as a target for drug development 31
Rechtman, M. P., see Leitch, I. M.
Reid, J. J. and Rand, M. J. Renal vasoconstriction is modulated by nitric oxide 376
Reid, J. L., see Lees, K. R.
Reid, M. A., Runciman, W. B., McLean, C. F. and Mather, L. E. Failure of the nitrous oxide tissue equilibration method for the determination of brain and myocardial blood flow under controlled conditions 229
Robinson, A. J., see Jackson, W. R.
Robson, R. D. The evolution of hypertensive therapy 41
Roche, J., see Stokes, G. S.
Rossi, F., see Matera, M. G.
Rumble, J. R., see Cooper, M. E.
Rumble, J., see Jandeleit, K.
Runciman, W. B., see Reid, M. A.
Sacquet, J., see Julien, C.
Safar, M. E., see Levy, B. I
Safar, M. E. and Levy, B. I. The effect of hypertension and ACE inhibition on arterial structure and compliance (Suppl. 19) 29
Sakai, R., see Takagi, K.
Saltis, J., Agrotis, A. and Bobik, A. Differential regulation by transforming growth factor-β_1 of platelet-derived growth factor-simulated proliferation of vascular smooth muscle cells from SHR and WKY rats 396
Sanai, T., see Murakami, K.
Sassard, J., see Su, D-F.
Satoh, S., see Takeuchi, A.
Sawamura, M., see Di Nicolantonio, R.
Sawamura, M., see Yamori, Y.
Schumacher, M. C., see Williams, R. R.
Secher, N. H., Jacobsen, J., Friedman, D. B. and Matzen, S. Bradycardia during reversible hypovolaemic shock: Associated neural reflex mechanisms and clinical implications 733
Seneviratne, B. I., see Finn, W. L.
Serelis, A. K., see Jackson, W. R.
Sernia, C., see Hoey, A.
Sewell, R. B., see Martin, G.
Sewing, K-F., see Beil, W.
Shah, J. and Jandhyala, B. S. Antagonism by endothelin of centrally mediated cardiovascular effects of potassium in anaesthetized rats 89
Shima, H., see Tsuda, K.
Shimoura, K., see Yamauchi, M.
Shindo, M., see Matsusaki, M.

Sikorski, B. W., see Hodgson, W. C.
Silagy, C. A., McNeil, J. J., McGrath, B. P. and Farish, S. Is isolated systolic hypertension a 'white coat' phenomenon in the elderly? 291
Silagy, C. A., McNeil, J. J. and McGrath, B. P. Sample size requirements for clinical trials of isolated systolic hypertension 294
Simpson, F. O. Salt and hypertension: Revisited (Suppl. 20) 25
Simpson, F. O., see Ledingham, J. M.
Sjoquist, P-O., Abrahamsson, T. and Johansson, M. H. Time course of regional flow distribution following reperfusion of the isolated ischaemic rat heart 249
Smallwood, R. A., see Martin, G.
Smith, R. E., Mercer, W. R., Provencher, P. H., Obeyesekere, V. and Krozowski, Z. S. The heterogeneity of 11β-hydroxysteroid dehydrogenase activities in the rat hippocampus implies a complex regulation of steroid hormone action 365
Snyder, R. G., see Gorman, A. J.
Sparrow, M. P., see Omari, T. I.
Squire, I. B., see Lees, K. R.
Srikrishna, G., see Kuruvilla, A.
Stephens, C. J., see Leong, L. L. L.
Stokes, G. S., Monaghan, J. C., Marwood, J. F., Obi Okoro, E. and Johnston, H. Increase in serum total angiotensin-converting enzyme activity with enalapril therapy in humans: A controlled trial 297
Stokes, G. S., Monaghan, J. C., Roche, J., Grunstein, H. and Gordon, R. D. Concurrence of primary aldosteronism and renal artery stenosis 300
Story, D. F., see Fabiani, M. E.
Stowasser, M., Gordon, R. D., Tunny, T. J., Klemm, S. A., Finn, W. L. and Krek, A. L. Familial hyperaldosteronism type II: Five families with a new variety of primary aldosteronism 319
Stults, B. M., see Williams, R. R.
Sturm, M. J., see Leong, L. L. L.
Su, D-F., Cerutti, C., Barrès, C., Julien, C., Vincent, M., Paultre, C. and Sassard, J. Arterial baroreflex control of heart period is not related to blood pressure variability in conscious hypertensive and normotensive rats 767
Su, D-F., see Julien, C.
Sudhir, K., see Angus, J. A.
Sugawara, A., see Mano, M.
Sugimoto, T., see Ishimitsu, T.
Sugimoto, T., see Yamada, K.
Sugiyama, S., see Hoshino, H.
Sukumaran, S., see Merican Z.
Summers, K. M., see West, M. J.
Tajimi, K., see Tanaka, H.
Takagi, K., see Matsumoto, K.
Takagi, K., Hasegawa, T., Nadai, M., Sakai, R. and Miyamoto, K. Bronchodilator activity and pharmacokinetics of new xanthines in guinea-pigs 447
Takahashi, Y., see Hamamoto, T.
Takaori, K., see Inariba, H.
Takeda, T., see Kohno, M.
Takeda, T., see Inariba, H.
Takeda, T., see Horio, T.
Takeshita, M., Yoshida, S., Miyata, M. and Yoshida, H. Analysis of factors in hypertension: Change of membrane fluidity in the arteries of spontaneously hypertensive and monocrotaline-injected rats (Suppl. 20) 33
Takeuchi, A., Kimura, T. and Satoh, S. Enhancement by endothelin-1 of the release of catecholamines from the dog adrenal gland in response to splanchnic nerve stimulation 663
Taki, F., see Matsumoto, K.
Tammesild, P. J., Hodgson, W. C. and King, R. G. Increased sensitivity to endothelin-1 in isolated Krebs'-perfused kidneys of streptozotocin-diabetic rats 261

Tanaka, H., Tajimi, K., Kasai, T. and Kobayashi, K. Comparative effects of dopamine and dobutamine on pulmonary haemodynamic response to hypoxia in dogs ventilated with hypoxic gas mixture 517
Tanaka, H., see Matsusaki, M.
Taniguchi, H., see Matsumoto, K.
Tashiro, E., see Nakashima, Y.
Tashiro, E., see Matsusaki, M.
Taylor, R. R., see Leong, L. L. L.
Thompson, P. J., see Misso, N. L. A.
Thurston, H. Angiotensin-converting enzyme inhibition as first-line treatment for hypertension 67
Tonkin, A. M., see Jones, E. F.
Townley, G., see Yong, A. C.
Trigg, L., see Wang, Z-Q.
Trinder, D., Kelly, J. M., Fernley, R., Mooser, V., Phillips, P. A. and Johnston, C. I. Isolation and characterization of the rat liver AVP receptor using [^{125}I][d(CH_2)$_5$, Sarcosine^7]AVP^1 253
Trovati, M., see Anfossi, G.
Tsuda, K., Ueno, Y., Nishio, I. and Masuyama, Y. Membrane fluidity as a genetic marker of hypertension (Suppl. 20) 11
Tsuda, K., see Yasuda, N.
Tsuda, K., Kimura, K., Shima, H., Nishio, I. and Masuyama, Y. Presynaptic α_2-adrenoreceptor-mediated modulation of norepinephrine release from vascular adrenergic neurons in reduced renal mass salt hypertensive rats (Short Comm.) 531
Tsukamoto, Y., see Hoshino, H.
Tuan, R. S., see Koide, M.
Tunny, T. J., Gordon, R. D., Klemm, S. A., Bachmann, A. W. and Finn, W. L. Inappropriately elevated levels of atrial natriuretic peptide may contribute to the pathophysiology of orthostatic hypotension 283
Tunny, T. J., see Stowasser, M.
Tunny, T. J., see Finn, W. L.
Tunny, T. J., see Klemm, S. A.
Ueda, Y., see Kita, T.
Ueno, Y., see Tsuda, K.
Vincent, M., see Su, D-F.
Vincent, M., see Julien, C.
Visser, B. F., see Wouters, E. F. M.
Waeber, B., see Aubert, J-F.
Wakamiya, R., see Okura, T.
Wakefield, B., see Pilowsky, P.
Walker, P., see Aubert, J-F.
Walters, W. A. W. Autocoids affecting vascular tone in the human fetal extra-corporeal circulation 3
Wang, Z., see Hui, S-C. G.
Wang, Z-Q., Way, D., Trigg, L. and McGrath, B. P. DA-1 receptors mediate renal effects of the dopamine prodrug, gludopa, in conscious rabbits 369
Ware, J., see Williams, R. R.
Watanabe, H., see Koshiji, M.
Watanabe, K., see Mori, C.
Way, D., see Wang, Z-Q.
West, M. J., Summers, K. M. and Huggard, P. R. Polymorphisms of candidate genes in essential hypertension 315
Whitworth, J. A., see Li, M.
Williams, R. R., Hunt, S. C., Hopkins, P. N., Wu, L. L., Schumacher, M. C., Stults, B. M., Ball, L., Ware, J., Hasstedt, S. J. and Lalouel, J-M. Evidence for gene-environmental interactions in Utah families with hypertension, dyslipidaemia and early coronary heart disease (Suppl. 20) 1
Williams, L. E., see Lev-Ran, A.
Wintour, E. M., see Moritz, K. M.
Wong, M., see Jackson, W. R.
Woodcock, E. A. and Anderson, K. Isolation of adult cardiomyocytes initiates a return of inositol trisphosphate phosphorylating activity 388

Woodcock, E. A. and Land, S. Interaction between vasopressin and endothelin in renal papillary tubules: Uncoupling following cell isolation and culture 384
Woodman, O. L. see Du, Z-Y.
Woods, R. L., see Courneya, C-A.
Workman, B., see Louis, W. J.
Wouters, E. F. M., Lándsér, F. J., Polko, A. H. and Visser, B. F. Impedance measurement during air and helium-oxygen breathing before and after Salbutamol in COPD patients 95
Wu, C-C., Chen, S-J. and Yen, M-H. Effects of noise on blood pressure and vascular reactivities 833
Wu, M. S., see Chen, C. F.
Wu, L. L., see Williams, R. R.
Wu, J-N., see Huang, W-C.
Yamada, K., Goto, A., Ishii, M., Yoshioka, M., Matsuoka, H. and Sugimoto, T. Plasma adenosine concentrations are elevated in conscious spontaneously hypertensive rats 563
Yamada, S., see Ishikawa, S.
Yamauchi, M., Kobayashi, Y., Shimoura, K., Hattori, K. and Nakase, A. Endothelium-dependent and -independent relaxation by dopamine in the rabbit pulmonary artery 401
Yamori, Y., see Mano, M.
Yamori, Y., Nara, Y., Mizushima, S., Murakami, S., Ikeda, K., Sawamura, M., Nabika, T. and Horie, R. Gene-environment interaction in hypertension, stroke and atherosclerosis in experimental models and supportive findings from a world-wide cross-sectional epidemiological survey: A WHO-cardiac study (Suppl. 20) 43
Yamori, Y., see Mtabaji, J. P.
Yamori, Y., see Ikeda, K.
Yamori, Y., see Yasuda, N.
Yamori, Y., see Di Nicolantonio, R.
Yasuda, N., Nara, Y., Kojima, S-I., Mikami, H., Hiwada, K., Tsuda, K., Koide, M. and Yamori, Y. Family history study on hypertension in Japan (Suppl. 20) 7
Yasunari, K., see Kohno, M.
Yen, M-H., see Wu, C-C.
Yeomans, N. D., see Martin, G.
Yin, K., see Chu, Z.
Yokode, M., see Kita, T.
Yokokawa, K., see Kohno, M.
Yokota, M., see Koide, M.
Yong, E. M., Mano, M. T. and Head, R. J. Neurovascular function during pregnancy in the spontaneously hypertensive rat 415
Yong, A. C., Townley, G. and Boyd, G. W. Haemodynamic changes in the Moncada model of atherosclerosis 339
Yoshida, K., see Murakami, K.
Yoshida, S., see Takeshita, M.
Yoshida, K., see Kawano, Y.
Yoshida, H., see Takeshita, M.
Yoshimi, H., see Kawano, Y.
Yoshimi, H., see Murakami, K.
Yoshioka, M., see Yamada, K.
Zhang, H., see Hui, S-C. G.
Zhang, Y., Morgan, T. and Read, G. The role of the renal nerves in renin synthesis 827
Zhong, Z. W., see Mori, C.
Zorbas, Y. G., Naexu, K. A. and Federenko, Y. F. Blood serum biochemical changes in physically conditioned and unconditioned subjects during bed rest and chronic hyperhydration 137